

Spind[®]



Agriculture
Pipe, Fitting & Accessories
Products

SPIND®- ECO High Density Polyethylene (HDPE) pipe Dimension and Weight (PE 80) (Non-Sirim)

	Pipe-Series									
	S-10		S-8		S-6.3		S-5		S-4	
	PN 6.3		PN 8		PN 10		PN 12.5		PN 16	
OD mm	t mm	wt kg/m	t mm	wt kg/m	t mm	wt kg/m	t mm	wt kg/m	t mm	wt kg/m
20	-	-	-	-	-	-	2.0	0.117	2.3	0.135
25	-	-	-	-	-	-	2.3	0.171	2.8	0.202
32	2.0	0.19	-	-	2.4	0.23	2.9	0.279	3.6	0.330
40	-	-	2.4	0.297	-	-	3.7	0.430	4.5	0.514
50	2.4	0.38	-	-	3.7	0.56	4.6	0.666	5.6	0.795
63	3.0	0.58	3.8	0.724	4.7	0.88	5.8	1.05	7.1	1.27
75	3.6	0.83	4.5	1.02	5.5	1.23	6.8	1.48	8.4	1.78
90	4.3	1.19	5.4	1.47	6.6	1.76	8.2	2.12	10.0	2.55
110	5.3	1.78	6.6	2.18	8.1	2.63	10.0	3.14	12.3	3.80
125	6.0	2.29	7.4	2.77	9.2	3.39	11.4	4.08	14.0	4.90
140	6.7	2.84	8.3	3.48	10.3	4.24	12.7	5.11	15.7	6.16
160	7.7	3.73	9.5	4.54	11.8	5.53	14.6	6.67	17.9	8.01
180	8.6	4.68	10.7	5.73	13.3	7.01	16.4	8.42	20.1	10.14
200	9.6	5.79	11.9	7.07	14.7	8.60	18.2	10.40	22.4	12.53
225	10.8	7.32	13.4	8.95	16.6	10.91	20.5	13.10	25.1	15.78
250	11.9	8.98	14.8	10.98	18.4	13.44	22.7	16.20	27.9	19.48



SPIND PREZFIT® Fitting Size & Range

Simply Easy & Reliable

Equal Coupling

Code	Size (mm)
SEC 20	20 x 20
SEC 25	25 x 25
SEC 32	32 x 32
SEC 40	40 x 40
SEC 50	50 x 50
SEC 63	63 x 63



Male Thread Elbow

Code	Size (mm)
SMTE 20.1/2	20 x 1/2"
SMTE 25.1/2	25 x 1/2"
SMTE 25.3/4	25 x 3/4"
SMTE 32.3/4	32 x 3/4"
SMTE 32.1	32 x 1"



Male Thread Adaptor

Code	Size (mm)
SMTA 20.1/2	20 x 1/2"
SMTA 25.1/2	25 x 1/2"
SMTA 25.3/4	25 x 3/4"
SMTA 32.3/4	32 x 3/4"
SMTA 32.1	32 x 1"
SMTA 40.1.1/4	40 x 1 1/4"
SMTA 50.1.1/2	50 x 1 1/2"
SMTA 63.2	63 x 2"



Reducing Coupling

Code	Size (mm)
SRC 25.20	25 x 20
SRC 32.20	32 x 20
SRC 32.25	32 x 25
SRC 40.32	40 x 32
SRC 50.40	50 x 40
SRC 63.50	63 x 50



Female Thread Elbow

Code	Size (mm)
SFTE 20.1/2	20 x 1/2"
SFTE 25.1/2	25 x 1/2"
SFTE 25.3/4	25 x 3/4"
SFTE 32.3/4	32 x 3/4"
SFTE 32.1	32 x 1"
SFTE 40.1.1/4	40 x 1 1/4"
SFTE 50.1.1/2	50 x 1 1/2"



Female Thread Adaptor

Code	Size (mm)
SFTA 20.1/2	20 x 1/2"
SFTA 25.1/2	25 x 1/2"
SFTA 25.3/4	25 x 3/4"
SFTA 32.3/4	32 x 3/4"
SFTA 32.1	32 x 1"
SFTA 40.1.1/4	40 x 1 1/4"
SFTA 50.1.1/2	50 x 1 1/2"



Equal Elbow

Code	Size (mm)
SEE 20	20 x 20
SEE 25	25 x 25
SEE 32	32 x 32
SEE 40	40 x 40
SEE 50	50 x 50
SEE 63	63 x 63



Equal Tee

Code	Size (mm)
SET 20	20 x 0 x 20
SET 25	25 x 25 x 25
SET 32	32 x 32 x 32
SET 40	40 x 40 x 40
SET 50	50 x 50 x 50
SET 63	63 x 63 x 63



Male Thread Tee

Code	Size (mm)
SMTT 20.1/2	20 x 20 x 1/2"
SMTT 25.1/2	25 x 25 x 1/2"
SMTT 25.3/4	25 x 25 x 3/4"
SMTT 32.3/4	32 x 32 x 3/4"
SMTT 32.1	32 x 32 x 1"
SMTT 63.2	63 x 63 x 2"



Reducing Elbow

Code	Size (mm)
SRE 25.20	25 x 20
SRE 32.20	32 x 20
SRE 32.25	32 x 25
SRE 40.32	40 x 32
SRE 50.40	50 x 40
SRE 63.50	63 x 50



Reducing Tee

Code	Size (mm)
SRT 25.20	25 x 25 x 20
SRT 32.20	32 x 32 x 20
SRT 32.25	32 x 32 x 25
SRT 40.32	40 x 40 x 32
SRT 50.40	50 x 50 x 40
SRT 63.50	63 x 63 x 50



Female Thread Tee

Code	Size (mm)
SFTT 20.1/2	20 x 20 x 1/2"
SFTT 25.1/2	25 x 25 x 1/2"
SFTT 25.3/4	25 x 25 x 3/4"
SFTT 32.3/4	32 x 32 x 3/4"
SFTT 32.1	32 x 32 x 1"



M+F Valve Socket

Code	Size (mm)
SMFVS	1/2" x 1/2"



Tank Connector

Code	Size (mm)
STC 25.3/4	25 x 3/4"
STC 32.1	32 x 1"
STC 40.1.1/4	40 x 1 1/4"
STC 50.1.1/2	50 x 1 1/2"



Cold Water Fitting

SPIND® Agriculture (AGRO) Accessories Fitting

Tubing

1.2mm x 200m/coil



SPMS 146

Tubing

4mm x 80m/coil



SPMS 147

Tubing

16mm x 300m/coil



SPMS 148

Tubing

20mm x 250m/coil



SPMS 149

Spray Jet

180° Degree (Red)
Male Base 1/8"
Water Inlet (Wet-4ft)



SPMS 150

Spray Jet

360° Degree (Yellow)
Male Base 1/8"
Water Inlet (Wet-4ft)



SPMS 151

Sprinkler



SPMS 152

Cross Tee

4mm x 4mm x 5mm



SPMS 153

Nipper

4mm x 5mm



SPMS 154

Holland Sprinkler

Spray Male Base 2/8"
Water Inlet (Wet-12ft)



SPMS 155

Tree & Vegetable

Impact Rotate Wet
Male Base 3/4"
Water Inlet
(Distance
Spray 66ft
Diameter)



SPMY 280

Tree & Vegetable

3/4 PVD (3) Impact
Rotate Wet Male Base 3/4"
Water Inlet
(Distance
Spray 60ft
Diameter)



SPMY 323-3

Flower / Scrub

Sprinkler
(Distance Spray
7ft Diameter)



SPMY 33

Flower / Scrub

Sprinkler Rotate Wet
Male Base 1/2" Water Inlet
(Distance Spray 24ft
Diameter)



SPMY 308

Vegetable

Rotate Male Base
(Distance Spray
20ft Diameter)



SPMY 228

Vegetable

Rotate Male Base 3/4"
Female Base 1/2", 3/4"
Water Inlet* 1/2"
Water Inlet
(Distance Spray
40ft Diameter)



SPMY 328

Vegetable

Rotate Male Base 3/4"
Female Base 1/2", 3/4"
Water Inlet* 1/2"
Water Inlet
(Distance Spray
46ft Diameter)



SPMY 338

Vegetable

Rotate Male Base 3/4"
Water Inlet (Distance
Spray 40ft Diameter)



SPMY 628

Vegetable

Rotate Female Base 1/2"
Water Inlet (Distance
Spray 34ft Diameter)



SPMY 825

Vegetable

Rotate Male Base &
Female Base 1/2"
Water Inlet
(Distance Spray
34ft Diameter)



SPMY 1198

SPIND® Agriculture (AGRO) Accessories Fitting

Dripper 4.5



SPMS 126

Dripper 5.5



SPMS 127

Dripper 5.5L



SPMS 128

Dripper 6.5



SPMS 129

Quick Action Valve

16mm x 16mm



SPMS 130

Quick Action Valve

16mm Male Threaded



SPMS 131

Reducer Coupler

13mm x 16mm



SPMS 132

Equal Coupler

16mm x 16mm



SPMS 133

Reducer Coupler

16mm x 20mm



SPMS 134

Equal Coupler

20mm x 20mm



SPMS 135

Equal Tee

16mm x 16mm x 16mm



SPMS 136

Equal Tee

20mm x 20mm x 20mm



SPMS 137

Equal Elbow

16mm x 16mm



SPMS 138

Equal Elbow

20mm x 20mm



SPMS 139

End Cap

16mm



SPMS 140

End Cap

20mm



SPMS 141

Male Threaded

16mm x 1/2"



SPMS 142

Male Threaded

20mm x 1/2"



SPMS 143

Male Threaded

16mm x 3/4"



SPMS 144

Male Threaded

20mm x 3/4"



SPMS 145



Company overview

A professionally managed company, SPIND MALAYSIA SDN. BHD. is a strong contender with experience and expertise to bring new and innovative products to our highly competitive building industry. Based on fundamentals of integrity, good business ethics and simple business strategy we are well established to forge new business ventures with partners in marketing, distribution and sales.

A highly trained and experienced team of dedicated technicians and marketing staff with proficient background in plumbing industry is on hand to serve our esteemed customers.

Quality is the main focus of our company and therefore with this in mind all products manufactured and distributed by our company is checked and verified by our in-house testing and quality control department to ensure a flawless product reaching our customers.

Customer satisfaction in terms of quality, ease of use and reliability will ensure that our products will always stand above the rest.

Spind Malaysia Sdn. Bhd. (ROC No: 195501018919) (Co.No. 348122-P)

Add : No. 38, Jalan Utama 1/2,
Taman Perindustrian Puchong Utama,
47130 Puchong, Selangor D.E., Malaysia.

Tel : +603-8060 5500 / 0604 Fax : +603-8060 5511
Email : info@spind.com.my Website : www.spind.com.my



fb.com/spindmalaysia



@spindmalaysia